

CATEGORY 3		MONOHULLS		For Offshore races across open water which is relatively protected or close to shorelines	
DATE OF AUDIT ____ / ____ / ____	SAIL NO:	BOAT NAME:			

Audit Form valid until 30th June next from the date of this form 30 / 06 / _____, or _____ / _____ / _____ whichever is the earlier. Subject to spot checks Regulation 2.02.2

OWNER DETAILS

OWNER/S NAME:			
OWNER/S YA NO:		OWNER/S CLUB	

BOAT DETAILS

LOA:		DISPL (tonnes):	
HULL MATERIAL:		HULL COLOUR:	
DECK MATERIAL:		DECK COLOUR:	
MAX CREW:		DISTINGUISHING MARKS:	
RMS (MARITIME) HULL REGISTRATION NO:			
RMS (MARITIME) STICKER ISSUED	YES	NO	

AMSA REGISTRATION

IF CARRIED, SR 3.25 MARINE RADIO: ACMA Marine Transceiver Licence for HF if carried YES NO Registered call sign HF:		
SR 4.18.1 EPIRBs: Registered YES NO	Number of units for boat:	Number to be hired:

DECLARATION BY OWNER/PERSON IN CHARGE

I have read and understand my obligations as Owner/Person in Charge set out in the YA Special Regulations 2013-2017, in particular 1.02.1, 1.02.2, 1.02.3 Owner's Responsibility, and 2.03.1(a) Function of equipment. I understand that this audit is carried out only as a guide to Owners/Persons in Charge and Race Organising Authorities. An Auditor does not limit or reduce the complete and unlimited responsibility of the Owner/Person in Charge as defined in Special Regulations 1.02.1, 1.02.2, 1.02.3 and 2.03.1.

I undertake that all of the boat's equipment as specified in the YA Special Regulations 2013-2017 will remain on the boat and continue to be in good working order and repair for the duration of each and every race.

Items designated with a shaded box are for the Owner/Person in Charge to ensure compliance when racing and must be initialised by the Owner/Person in Charge.

Signed by Owner/Person in Charge

Date

EQUIPMENT AUDITOR DECLARATION

I have checked the abovementioned boat in accordance with 2.02.2 summarised in the following list, and the items listed were found to be on board, and as per the regulations at the time and date of this Audit. Outstanding items are detailed below.

Audited by (print name):	Signed by Equipment Auditor:
YA Number:	Date:

OUTSTANDING ITEMS - The Equipment listed over the page was complete except for the following items

Equipment Outstanding	Re-Inspected by	YA Auditor No.	Date

EARLIEST EXPIRY DATES

ITEM	EARLIEST EXPIRY	UPDATED EARLIEST EXPIRY	AUDITOR	ITEM	EARLIEST EXPIRY	UPDATED EARLIEST EXPIRY	AUDITOR
Fire extinguishers				Flares			
EPIRB(s)				PFDs			
Inflatable lifebuoy(s)				Radio Certificate			

CATEGORY 3 MONOHULLS

For Offshore races across open water which is relatively protected or close to shorelines

DATE OF AUDIT ____/____/____	SAIL NO:	BOAT NAME:
--	-----------------	-------------------

This Section to be completed and **initialled** by Owner /Person in Charge(O) and Auditor/Inspector (EA)

Reg	Equipment	O	EA	3.16.1
2.03.1	Equipment functions & adequate for intended use			Bunks, securely fastened, sufficient 50% of crew
2.03.2	Ballast & heavy equipment secured			3.17.1 Cooking stove/ heating appliance safe use in seaway eg. gimballed
3.06.1	(a) 2 exits, 1 forward of mast			3.17.2 Cooking stove/heating appliance securely fastened, accessible shutoff
	(c) Minimum clearance Ø 450mm for Age/ Series Date 07/2010 or later; OR (d) Circular shape Ø 450 mm or 380 mm x 380 mm and area 0.18m ² for Age Date 7/2014 or later			3.17.3 Gas only permitted for cooking Methylated spirits acceptable for cooking (a) "REMEMBER to turn off Gas" sign
3.07.1	Hatches or ports open outward if forward of max beam, except if less than 0.071m ²			3.17.4 (b) Gas detection system if appliance has a pilot light.
3.07.2	(a) i Hatches above water when heeled 90°.			3.17.5 Disposable gas canister to be 225 gms or less
	(a) iii non complying permitted; size<.071m ² (a) iii Kept shut while racing			3.17.6 Gas bottle, spare canisters in separate, ventilated, self draining locker, vapour can escape overboard
	(b) Capable of being immediately shut, permanently attached lid			3.17.7 Galley suitable facilities
3.07.3	Blocking device for low sill companionway			At least 2.5 ltrs water per crew; AND
3.07.4	Companionway hatch strong securing arrangement securing hatch in closed position			3.18.3 At least 1 water tank securely installed for Age Date 07/1998 or later
3.07.4 (a)	(i) Operable from above and below			3.18.4 Emergency drinking water 9 ltrs additional to 3.18.2
	(ii) Functions independently of blocking devices			3.19.1 Handholds below decks
3.07.4 (b)	Blocking Devices	(i) retained hatch open or shut		3.20.3 1 manual bilge pump operable with all cockpit seats, hatches & companionways shut
		(ii) secured to boat by lanyard		3.20.6 Bilge pump not to discharge into closed cockpit Bilge pump not connected to cockpit drains
		(iii) permit exit in event of inversion		3.20.7 a) Bilge pump minimum suction bore 25mm b) Bilge pump & strum boxes accessible
3.08.1	Cockpit strong, self draining at all angles of heel, permanent and integral part of hull			3.20.8 Pump handle each with lanyard or catch unless permanently fitted
3.08.2	Cockpit essentially watertight			3.20.9 2 x 8ltr buckets stout construction with lanyard
3.08.3	Bilge pump outlet not connected to cockpit drain			3.21.1 Marine magnetic compass permanently installed, non electric, and ship's compass deviation card
3.08.4	Cockpit sole 2% waterline length (LWL) above LWL			3.21.2 Spare magnetic compass non electric
3.08.5	Wells-bow, lateral, central, stern, included in cockpit volume			3.22.1 Minimum 2 halyards per mast
3.08.6	Cockpit volume complies with formula			3.23.1 Navigation lights carried complying with IRPCAS
3.08.7	Number of cockpit drains Age/ Series Date before 07/1977; 2 x 25mm Age/ Series Date after 07/1977; 4 x 20mm			3.23.2 Not masked by sails or heeling
				3.23.3 Not mounted below deck level
3.09.1	(a) Sea cocks permanently installed.			3.23.4 Reserve navigation lights; Independent of main power
	(b) Plugs for each opening attached/ stowed near			3.23.5 Spare bulbs except for multiple LED array lamps
3.10.1	Sheet winches operator not below deck			3.24.3 Inboard engine to SR 3.24.1 , OR outboard engine with tanks, fuel supply all securely fastened
3.11.1	Keel stepped mast; heel securely fastened			3.24.4 Outboard motors provision for mounting, and raising Outboard motors mounted at all times
3.12.2	Lifelines taut (50N force applied; ≤ 50mm deflection)			3.24.5 Minimum speed, charging & fuel comply
3.12.3 (a)	(i) Closed bow pulpit forward of forestay OR			3.24.6 Separate starter battery
	(ii) Forward gap open bow pulpit less than 360mm; OR			3.24.7 Separate generators, if carried & permanently installed; covered; all exhaust, fuel supply & tank also permanently installed
	(iii) Forestay in or forward of gap; gap between forestay & bow pulpit less than 360mm			3.24.8 Fuel tank shut off valve/ cocks(s) if fuel can escape or siphoning possible
3.12.3	(b) Stern pulpit top rail no lower than upper lifelines at forward cockpit station			3.24.9 (a) Inboard petrol tanks permanently installed, metal, vented to open air, electrically grounded, filler position prevents fuel/vapour entering boat (b) Diesel tanks metal or other certified material (c) Fuel lines comply (d) Outboard tanks secured on deck or ventilated compartment; manufacturer supplied or standards branded (e) Petrol not below decks in portable containers (f) Flexible fuel tank not permitted.
	(c) Lifelines, stanchions continuous deck barrier			
	(d) Pulpit top rails no lower than upper lifelines			
	(e) Openable upper rails able to be secured whilst racing			
	(f) Pulpits & stanchions permanently installed			
	(g) Pulpits & stanchion bases inboard no more than greater of 5% of max beam or 150mm			
	(h) Stanchion bases not outboard			
(i) Lifeline terminals may be aft of working deck if lifeline enclosure within working deck				
	(j) If lifelines not fixed to bow pulpit, gap < 150mm			3.25.1 i Permanently installed VHF transceiver
	(k) Stanchions straight, vertical or angled not more than 10 degrees from 50mm above deck			3.25.1 (b) From 1/07/15, newly installed to be DSC capable
3.12.5	Lifeline height, spacing, number comply with table			3.25.2 Handheld VHF receiver; waterproof
3.12.6	(a) Lifelines uncoated stainless steel wire			3.25.6 (a) 5W minimum output
	(b) Lifeline coating not moulded to wire			3.25.4 (a) VHF minimum power 25 watts (b) Masthead antenna if mast 11m above water (c) Transmission test over 8 nautical miles minimum
	(d) Gap secured by lanyard 100mm or less Lanyard replaced annually			
	(e) Strength lifeline system, wire size comply			3.25.5 Emergency antenna each required radio
3.14.1	Toe rail minimum height 25mm; Age date before 01/1981; 20mm			
3.15.2	Toilet, securely fastened or fitted bucket			

CATEGORY 3	MONOHULLS	For Offshore races across open water which is relatively protected or close to shorelines
DATE OF AUDIT ____ / ____ / ____	SAIL NO:	BOAT NAME:

4.07.9 FIRST AID KIT CONTENTS LIST	
Paracetamol 500mg (eg Panadol) or Ibuprofen 200 mg (eg Nurofen) x 40	Band-aids or equivalent roll of bandaid x 20
Codeine 8mg + Paracetamol 500mg (eg Panadeine) x 40	Antiseptic skin solution 15ml (eg Betadine) x1
Soluble Aspirin (eg Disprin) x 20	Antiseptic cream with lignocaine HCL (eg Medcream) x 1
Butterfly or Steristrips (Strips of 5) x 5	Normal saline (for washing) - 250ml x 1
Disposable Gloves x 20	Sunscreen 30 + SPF - 250 ml x 1
Crepe bandages 75mm x 1.5m x 2	Travel/seasickness tablets (eg Avomine, Travacalm) x10
Triangular bandage x 1	Scissors, stainless steel x 1
Low absorbency non-adherent dressing (eg Melolin) x 10	CPR mask x 1 or face shields x 6

ADDITIONAL ITEMS, if any, REQUIRED BY NoR		

END OF FORM